## Math 1271-70 (Calculus 1). Fall 2014.


## Midterm 2

Name:			
TA:			_
Section:			

- 1. Do not open this exam until you are told to do so.
- 2. This exam has 6 pages including this cover. There are 5 problems.
- 3. Not all problems are of equal difficulty, so you may want to skip over and return to a problem on which you are stuck.
- 4. Do not separate the pages of this exam. If they do become separated, write your name on every page and point this out to your instructor when you hand in the exam.
- 5. Show an appropriate amount of work for each problem.
- 6. You may (but do not need to) use a scientific calculator.
- 7. No notecards are allowed.
- 8. No cell phones, smartphones, headphones, or other devices allowed.

1	
2	
3	
4	
5	
Total	

**Problem 1.** (10 points) The graph of f'(x), the derivative of f(x), is shown below.



For each part, list \*all\* the x values labeled on the graph which satisfy the corresponding statement. (You do not need to show your work and there is no partial credit.)

- The function f(x) has a local minimum at x =
- The function f(x) is increasing around  $x = \underline{\hspace{1cm}}$
- The function f(x) is concave up at x =
- The function f'(x) is concave up at x =
- The function f''(x) has a critical point at x =

Problem 2. a.	(4 points)	Find the	local line	arization	L(x)	of $f(a$	(c) = 0	(x + 8)	$^{1/3}$ nea	ar x = 0.

Answer: L(x) =

**b.** (3 points) Use the local linearization to estimate  $(8.1)^{1/3}$ .

**Answer:**  $(8.1)^{1/3} \approx$ \_\_\_\_\_\_

 $\mathbf{c}$ . (3 points) Do you expect the estimate to be an overestimate or and underestimate? (Make sure to justify your answer)

\$3 per foot. What a	re the dimensions	of the cheapest	t fence the farm	er can build?	
Answer:					

Problem 4. (10 points)
A 10ft ladder is leaning against the wall. A heavy object is placed on one of the steps and the ladder slips and begins to fall. As the ladder is falling, the top end moves vertically downward along the wall while the
bottom end moves directly away from the wall. If the bottom end is 5ft away from the wall and is moving
away at 2ft per second, how fast is the top end moving?

Answer: \_\_\_\_\_

**Problem 5.** Let  $f(x) = x^{\sqrt{x}}$ . Compute:

**a.** (5 points) f'(x).

Answer: f'(x) =

**b.** (5 points)  $\lim_{x\to 0^+} f(x)$ .

Answer:  $\lim_{x\to 0^+} f(x) = \underline{\hspace{1cm}}$